

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 17-5-2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : BEXOL HEAVY ULTRA LSP 10W-40
Product code : 121013
Type of product : Use in lubricants
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use
Use of the substance/mixture : Engine oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Schmierstoff-Industrie AS BEXOL LUBRICANTS
42 Herbsteiner Str.,
13435
13435 Berlin Wittenau, Germany
T +49 (0)3060-983-171
office@bexollubricants.de

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---|-----------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital | Penarth CF64 2XX Cardiff | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.
EUH208 - Contains calcium long chain alkaryl sulphonate, Calcium long chain alkyl aryl sulfonate. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Highly refined mineral oils and additives.

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-----------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | (CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (EC Index-No.) 649-483-00-5 (REACH-no) 01-2119474889-13 | 25 - 50 | Asp. Tox. 1, H304 |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated | (CAS-No.) 134758-95-5 (EC-No.) 603-861-6 | 2,5 - 5 | Aquatic Chronic 4, H413 |
| Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs | (CAS-No.) 147880-09-9 (EC-No.) 604-611-9 | 0,1 - 2,5 | Aquatic Chronic 4, H413 |
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | (CAS-No.) 68784-31-6 (EC-No.) 272-238-5 (REACH-no) 01-2119657973-23 | 0,1 - 2,5 | Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| bis(nonylphenyl)amine | (CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28 | 0,1 - 2,5 | Aquatic Chronic 4, H413 |

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). :
First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. : Wash skin
First-aid measures after skin contact with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.
Hazardous decomposition products in case of fire : Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature : 0 - 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BEXOL HEAVY ULTRA LSP 10W-40

EU Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/mi - ACGIH TLV (inhalable fraction).

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
|-----------------|---|---|----------------|-------------|----------|
| Reusable gloves | Nitrile rubber (NBR), Neoprene rubber (HNBR), Polyvinylchloride (PVC) | 4 (> 120 minutes), 5 (> 240 minutes), 6 (> 480 minutes) | >=0,35 | 3 (> 0.65) | EN 374 |

Eye protection:

Safety glasses

| Type | Use | Characteristics | Standard |
|----------------|---------|-----------------|----------|
| Safety glasses | Droplet | clear | EN 166 |

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : No data available

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|--|
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : -39 °C - ASTM D5950 (pour point) |
| Boiling point | : No data available |
| Flash point | : 222 °C - ASTM D92 (COC) |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0,863 kg/l (15 °C) - ASTM D4052 |
| Solubility | : Water : Practically not miscible. |
| Log Pow | : No data available |
| Viscosity, kinematic | : 95,9 mm ² /s (40 °C) - ASTM D7279 |
| Viscosity, dynamic | : No data available |
| Explosive properties | : Presents no particular fire or explosion hazard. |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| | |
|---|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| LD50 oral rat | > 5000 mg/kg (OECD 401 method) |
| LD50 dermal rabbit | > 2000 mg/kg (OECD 402 method) |
| LC50 inhalation rat (mg/l) | 2,18 mg/l/4h (OECD 403 method) |
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6) | |
| LD50 oral rat | 2900 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| bis(nonylphenyl)amine (36878-20-3) | |
| LD50 oral rat | > 5000 mg/kg bodyweight (OECD 401 method) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402 method) |

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-----------------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |

| | |
|------------------------|------------------|
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

| | |
|------------------------------|---------------------------------|
| BEXOL HEAVY ULTRA LSP 10W-40 | |
| Viscosity, kinematic | 95,9 mml/s (40 °C) - ASTM D7279 |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|--------------------------|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Acute aquatic toxicity | : Not classified |
| Chronic aquatic toxicity | : Not classified |

| | |
|---|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| LC50 fish 1 | > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) |
| LC50 other aquatic organisms 1 | > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) |
| NOEC (acute) | >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) |

| | |
|---|---|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts (68784-31-6) | |
| LC50 fish 1 | 4,4 mg/l (96h, Oncorhynchus mykiss) |
| EC50 Daphnia 1 | 75 mg/l (48h, Daphnia magna) |
| EC50 72h algae (1) | 240 mg/l (72h, Scenedesmus subspicatus) |

| | |
|------------------------------------|---|
| bis(nonylphenyl)amine (36878-20-3) | |
| LC50 fish 1 | > 100 mg/l Brachydanio rerio (zebra-fish) |
| EC50 Daphnia 1 | > 100 mg/l (OECD 202 method) |
| EC50 72h algae (1) | 600 mg/l |
| EC50 96h algae (1) | 870 mg/l |

12.2. Persistence and degradability

| | |
|---|-------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| Biodegradation | 31 % (28d) (OECD 301F method) |

| | |
|------------------------------------|------------------------------------|
| bis(nonylphenyl)amine (36878-20-3) | |
| Biodegradation | 1 % (test concentration 20,1 mg/l) |

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

| | |
|---|-------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| Mobility in soil | Product adsorbs onto the soil |

12.5. Results of PBT and vPvB assessment

| | |
|---|---|
| Component | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|--|
| Waste treatment methods | : Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

European List of Waste (LoW) code : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| | |
|---|--|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 | Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs - bis(nonylphenyl)amine |
| 3 (b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based |
| 3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs - bis(nonylphenyl)amine - Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

BEXOL HEAVY ULTRA LSP 10W-40

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|-------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| vPvB | Very Persistent and Very Bioaccumulative |

Full text of H- and EUH-statements:

| | |
|-------------------|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H304 | May be fatal if swallowed and enters airways. |
| H318 | Causes serious eye damage. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains calcium long chain alkaryl sulphonate, Calcium long chain alkyl aryl sulfonate. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product