Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

## 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: BEXOL WAVE PLUS 10W-40

· Article number: 120602

1.2 Relevant identified uses of the substance or mixture and uses advised against

### **Sector of Use**

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites.

### Product category PC24 Lubricants, greases, release products

Process category

PROC1 Use in closed process, no likelihood of exposure

PROC2 Use in closed, continuous process with occasional controlled exposure

PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities

PROC20 Heat and pressure transfer fluids in dispersive, professional use but closed systems

PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

#### Environmental release category

ERC9a Wide dispersive indoor use of substances in closed systems

ERC9b Wide dispersive outdoor use of substances in closed systems

ERC4 Industrial use of processing aids in processes and products, not becoming part of articles

ERC7 Industrial use of substances in closed systems

· Application of the substance / the preparation Engine oil

· 1.3 Details of the supplier of the safety data sheet ·

### Manufacturer/Supplier:

AS Handelsunternehmen Koenigin-Elisabeth-Str. 56 14059 Berlin, Germany 0049 30 60983171

- · Further information obtainable from: Product safety department 0049 30 60983171.
- · 1.4 Emergency telephone number: 0049 30 60983171 (9 AM to 4 PM, Monday to Friday)

## 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

### Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

(Contd. on page 2)

Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

Trade name: BEXOL WAVE PLUS 10W-40

(Contd. of page 1)

· Special labelling of certain preparations:

Safety data sheet available for professional user on request. ·

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Highly refined mineral oils and additives.

| Dangerous components:     |  | 11     |
|---------------------------|--|--------|
| CAS: 72623-86-0           | Lubricating oils (petroleum ), C15-30, hydrotreated neutral oil- | 10-25% |
| EINECS: 276-737-9         | based  | 3      |
| Reg.nr.: 01-2119474878-16 |  |        |
| CAS: 68649-42-3           | zinc alkyl dithiophosphate                                       | 1-2.5% |
| EINECS: 272-028-3         | 🙀 Xi R36/38  |        |
|                           |  |        |

Additional information:

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346. For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · 4.1 Description of first aid measures
- · **General information:** No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed If

swallowed or in case of vomiting, danger of entering the lungs.

### **5 Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, dry chemical, or foam. Water can be used to cool and protect exposed material. ·

For safety reasons unsuitable extinguishing agents: Water with full let

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

-GB

Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

Trade name: BEXOL WAVE PLUS 10W-40

(Contd. of page 2)

### 6 Accidental release measures

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Avoid the formation of oil haze.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

- · Protection of hands: Oil resistant gloves
- · Material of gloves

Nitrile rubber, NBR

**PVC** gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

Trade name: BEXOL WAVE PLUS 10W-40

· Penetration time of glove material

(Contd. of page 3)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 $\cdot$  Eye protection: Goggles recommended during refilling  $\cdot$  Body protection: Protective work clothing

| <u> </u>                   |
|----------------------------|
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
| niting.                    |
| esent an explosion hazard. |
| coon an explosion nazara.  |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
|                            |
| cult to mix.               |
|                            |
|                            |
|                            |
| D 445)                     |
| D445)                      |
|                            |
| information available.     |
| t i                        |

Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

Trade name: BEXOL WAVE PLUS 10W-40

(Contd. of page 4)

## 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

- · 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

## **12 Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.

Other information: The product is difficultly biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available. · 12.4

**Mobility in soil** No further relevant information available.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

· D

(Contd. on page 6)

Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

Trade name: BEXOL WAVE PLUS 10W-40

(Contd. of page 5)

## 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number<br>ADR, ADN, IMDG, IATA               | Void            |
|--|-----------------|
| 14.2 UN proper shipping name<br>ADR, ADN, IMDG, IATA | Void            |
| 14.3 Transport hazard class(es)                      |                 |
| ADR, ADN, IMDG, IATA                                 |                 |
| Class  | Void            |
| 14.4 Packing group                                   |                 |
| ADR, IMDG, IATA                                      | Void            |
| 14.5 Environmental hazards:                          |                 |
| Marine pollutant:                                    | No              |
| 14.6 Special precautions for user                    | Not applicable. |
| 14.7 Transport in bulk according to Annex II of      |                 |
| MARPOL73/78 and the IBC Code                         | Not applicable. |

## 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

(Contd. on page 7)

-GB

Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2013 Version number 8 Revision: 14.01.2013

Trade name: BEXOL WAVE PLUS 10W-40

(Contd. of page 6)

R36/38 Irritating to eyes and skin.

· Department issuing MSDS: Product safety department. ·

Contact: Product safety department

• Sources 67/548/EEC 99/45/EEC EC/453-2010

GB